

SHAKE WELL BEFORE EACH USE.

DIRECTIONS (PEDIATRIC): 1/4 teaspoonful (1.25 mL) by mouth daily or as directed by a physician.

DIRECTIONS (PREGNANT WOMEN): 1/2 teaspoonful (2.5mL) by mouth daily or as directed by a physician.

DROPPER USE: Fill dropper to dose level. Dispense into the mouth with a gentle squeeze of the bulb. It is normal for a small amount of suspension to remain in the dropper.

WARNINGS: Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a physician. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron products may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby seek the advice of a health professional before using this product.

QUESTIONS? 1-888-886-2061

SHAKE WELL

23359-012-04

WEE CARE

IRON DIETARY SUPPLEMENT

WILD CHERRY
FLAVOR



Supplement Facts

PEDIATRIC

Serving Size 1/4 teaspoonful (1.25 mL)
Servings Per Container about 94

Amount Per Serving	% Daily Value infants from birth to 12 months of age	% Daily Value children under age of 4 years
Iron (as carbonyl iron) 15mg	100%	150%

PREGNANT WOMEN

Serving Size 1/2 teaspoonful (2.5 mL)
Servings Per Container about 47

Amount Per Serving	% Daily Value for pregnant and lactating women
Iron (as carbonyl iron) 30mg	111%

Inactive Ingredients: Purified Water, Glycerin, Cherry Flavor, Carrageenens, Citric Acid, Sucralose, Sodium Copper Chlorophylline, Potassium Sorbate.

STORE BETWEEN 59°-86° (15°-30°)

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.



4 FL OZ (118 ML)

DO NOT ACCEPT IF SEAL UNDER CAP IS BROKEN OR MISSING
Manufactured For: Centurion Labs, LLC. | Birmingham, AL 35242



WEE CARE

IRON DIETARY SUPPLEMENT

Supplement Facts

PEDIATRIC

Serving Size 1/4 teaspoonful (1.25 mL)
Servings Per Container about 94

Amount Per Serving	% Daily Value infants from birth to 12 months of age	% Daily Value children under age of 4 years
Iron (as carbonyl iron) 15mg	100%	150%

PREGNANT WOMEN

Serving Size 1/2 teaspoonful (2.5 mL)
Servings Per Container about 47

Amount Per Serving	% Daily Value for pregnant and lactating women
Iron (as carbonyl iron) 30mg	111%

Inactive Ingredients: Purified Water, Glycerin, Cherry Flavor, Carrageenens, Citric Acid, Sucralose, Sodium Copper Chlorophylline, Potassium Sorbate.

Shake well before each use.

Directions (Pediatric): 1/4 teaspoonful (1.25 mL) by mouth daily or as directed by a physician.

Directions (Pregnant women): 1/2 teaspoonful (2.5mL) by mouth daily or as directed by a physician.

Dropper Use: Fill dropper to dose level. Dispense into the mouth with a gentle squeeze of the bulb. It is normal for a small amount of suspension to remain in the dropper.

WARNING: Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a physician. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron products may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby seek the advice of a health professional before using this product.

See label on the enclosed bottle for additional product information.

Consult a physician if you have questions concerning dosage information for iron supplements.

SHAKE WELL

23359-012-04

WEE CARE

IRON DIETARY SUPPLEMENT

WILD CHERRY
FLAVOR



ALCOHOL FREE
WILL NOT STAIN TEETH

WARNING:

Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

STORE BETWEEN 59°-86° (15°-30°)

DISPENSE IN TIGHT, LIGHT
RESISTANT CONTAINERS AS
DEFINED IN THE USP/NF.

HOW SUPPLIED:
4 FL OZ (118 ML) BOTTLES, 23359-012-04

TAMPER EVIDENT:

Do not use if the tamper evident foil seal under the cap is broken or missing.

CENTURION LABS, LLC
BIRMINGHAM, AL 35242



Questions? 1-888-886-2061

4 FL OZ (118 ML)

REV 3/22