

Rx only NDC 39328-106-50

Prenatal

Vitamins plus Low Iron
Tablets

Complete Formula for
Pregnant and Lactating
Women

Made in the USA
500 tablets



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Each Tablet Contains:

	Amount Per Tablet	% Daily Value
Vitamin A (Acetate and Beta Carotene)	4000 I.U.	80%
Vitamin C (Ascorbic Acid)	120 mg.	200%
Vitamin D-3 (Cholecalciferol)	400 I.U.	100%
Vitamin E (dl-Alpha Tocopheryl Acetate)	22 mg.	73%
Vitamin B-1 (Thiamine Mononitrate)	1.84 mg.	123%
Vitamin B-2 (Riboflavin)	3 mg.	176%
Niacin (Nicotinamide)	20 mg.	100%
Vitamin B-6 (Pyridoxine HCl)	10 mg.	500%
Folic Acid	1 mg.	200%
Vitamin B-12 (Cyanocobalamin)	12 mcg.	200%
Calcium (from Calcium Carbonate)	200 mg.	20%
Iron (Ferrous Fumarate)	27 mg.	150%
Zinc (Zinc Oxide)	25 mg.	167%
Copper (Cupric Oxide)	2 mg.	100%

Other Ingredients: Ascorbyl Palmitate, Citric Acid anhydrous, DL-alpha-Tocopherol, Ethylcellulose, FD&C Blue #2 lake, FD&C Red #40 lake, FD&C Yellow #6 lake, Glucose, Gum Acacia, Hypromellose, Magnesium Stearate, Maize Starch, Maltodextrin, Methylcellulose, Microcrystalline Cellulose, Mineral Oil, Mono- and di-glycerides, Polyethylene Glycol, Pregeatinized Corn Starch, Silicon Dioxide, Sorbic Acid, Soy Protein, Stearic Acid, Sucrose, Titanium Dioxide, Tricalcium Phosphate.

Indications: To provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and nonlactating mother. It is also useful for improving nutritional status prior to conception.

Directions: Before, during and after pregnancy, one tablet daily or as directed by a physician.

Contraindications: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

Caution: Folic Acid may partially correct the hematological damage due to Vitamin B-12 deficiency of pernicious anemia while the associated neurological damage progresses.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under six. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.

In case of accidental overdose, call a physician or Poison Control Center immediately.

Store at room temperature, USP. Dispense in a well closed light resistant container.

Manufactured in USA for: Patrin Pharma, Inc., Skokie, IL 60076 800-668-3088 Rev 01.0313

Lot/Exp. date:

