

PRODUCT BENEFITS: In this unique formula, the natural herbs valerian, passion flower and white willow are combined with calcium and magnesium - to promote proper muscle function.* This formula is especially good for those experiencing occasional muscular tension related to exercise.*

Directions: Take one (1) or two (2) capsules daily as needed or follow the advice of your health care professional. May take up to 8 capsules daily. As a reminder, discuss the supplements and medications you take with your health care providers.

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease.

PROD. NO. 61155

To refill please call 1-800-765-6775
or visit www.physiologics.com

Carefully Manufactured by PhysioLogics, LLC
One Nutrition Plaza, Carbondale, IL 62901 U.S.A.



7 16963 61155 8

B28345



MusclEase®

Supports Overworked Muscles*

Dietary Supplement
180 Capsules



Supplement Facts

Serving Size 2 Capsules
Servings Per Container 30

Amount Per Serving	%Daily Value
Calcium (as Calcium Citrate)	45 mg 5%
Magnesium (as Magnesium Aspartate)	100 mg 25%
Valerian Extract (<i>Valeriana officinalis</i>) (root) (Standardized to contain 0.8% Valerenic Acid, 0.8 mg)	100 mg **
White Willow Extract (<i>Salix alba</i>) (bark) (Standardized to contain 15% Salicin, 15 mg)	100 mg **
Passion Flower Extract (<i>Passiflora incarnata</i>) (aerial) (Standardized to contain 3.5% Flavonoids, 3.5 mg)	100 mg **

**Daily Value not established.

Other Ingredients: Gelatin, Rice Powder, Silica, Vegetable Magnesium Stearate.

FREE OF: yeast, wheat, milk or milk derivatives, lactose, sugar, preservatives, soy, artificial color, artificial flavor, sodium (less than 5 mg per serving).

TAMPER RESISTANT: Do not use if seal under cap is broken or missing.

KEEP OUT OF REACH OF CHILDREN. Store in a dry place and avoid excessive heat.

WARNING: If you are pregnant, nursing or taking any medications, consult your doctor before use. Avoid this product if you are allergic to aspirin. Discontinue use and consult your doctor if any adverse reactions occur. Excessive consumption may impair ability to drive a motor vehicle or operate heavy equipment. Not intended for use by persons under the age of 18.

Laboratory Tested to Guarantee Quality
For Health Care Professional Use Only
©PhysioLogics, 2009