

PRODUCT BENEFITS: The Japanese diet has long been recognized for its beneficial effects on the cardiovascular system, including the arterial, venous and capillary branches. Soy intake is believed to largely contribute to these beneficial vascular effects.* Nattokinase is an enzyme isolated and extracted from fermented soybeans. While many forms of Nattokinase are available in the marketplace, Physiologics' Nattokinase distinguishes itself through in-house testing to confirm 1,000 units of Fibrinolytic Activity per Softgel! Quality Control Specialists utilize rigorously defined analytical methods to verify Nattokinase Activity.

Directions: For adults, take one (1) softgel two times daily, preferably with a meal or follow the advice of your health care professional. As a reminder, discuss the supplements and medications you take with your health care providers.

*These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease.

PROD. NO. 14466

To refill please call 1-800-765-6775
or visit www.physiologycs.com

Carefully Manufactured by Physiologics, LLC
One Nutrition Plaza, Carbondale, IL 62901 U.S.A.



B14467

08G

Physio**Logics**®

Nattokinase
50 mg

Isolated from
Heart-Healthy Soybeans*
Tested for 1,000 Units of
Fibrinolytic Activity per Softgel

Dietary Supplement
100 Softgels



Supplement Facts

Serving Size 1 Softgel

Amount Per Serving	%Daily Value
Nattokinase (from soy) (Nattokinase Activity 1,000 FU [fibrinolytic units])	50 mg **

**Daily Value not established.

Other Ingredients: Soybean Oil, Gelatin, Glycerin, Yellow Beeswax, Caramel Color.

FREE OF: artificial flavor, artificial sweetener, preservatives, sugar, milk, lactose, gluten, wheat, yeast, fish, sodium.

WARNING: If you are pregnant, nursing or taking any medications, consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur.

TAMPER RESISTANT: Do not use if seal under cap is broken or missing.
KEEP OUT OF REACH OF CHILDREN.
Store in a dry place and avoid excessive heat.

Laboratory Tested to Guarantee Quality
For Health Care Professional Use Only

©PhysioLogics, 2010