

SAFE & EFFECTIVE

Remifemin®

MENOPAUSE RELIEF*

Clinically Proven
to Reduce:

- Hot Flashes*
- Night Sweats*
- Mood Swings*

60 TABLETS
ESTROGEN-FREE
DIETARY SUPPLEMENT

*This statement has not been evaluated by The Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

LBX07500.09

Remifemin®, RemiSure™, "Take 1 in the Morning and 1 in the Evening" and associated butterfly logo & pill designs are trademarks of Schaper & Brümmer GmbH & Co. KG. Product of Germany



Remifemin®
is a female
friendly
formula

No soy,
propylene
glycol,
hormones,
artificial
colors,
flavors or
preserva-
tives

Remifemin®

**Clinically Proven to
Reduce Menopause
Symptoms:**

- Hot Flashes*
- Night Sweats*
- Mood Swings*
- Irritability*
- Related Occasional
Sleeplessness*

Estrogen-Free:

Safe for women choosing not
to take estrogen

Alternative to HRT:

Can be used in place of
Hormone Replacement
Therapy (HRT) for relieving
symptoms of menopause
and perimenopause*

Safety sealed for your protection with a
tamper-evident foil pouch. Do not use if foil is
punctured. RemiSure™ extract is standardized
to be equivalent to 20 mg of black cohosh
(Cimicifuga racemosa) root/rhizome.

*This statement has not been evaluated by The Food
& Drug Administration. This product is not intended
to diagnose, treat, cure or prevent any disease.

Recommendation: For best results,
take 1 tablet in the morning and
1 tablet in the evening with water.
Expect noticeable results within a
few weeks of use. **Keep out of
reach of children.**

Supplement Facts

Serving Size 1 Tablet

Amount per Tablet	%DV
RemiSure™ Black Cohosh Extract (root/rhizome) equivalent to 20 mg**	

**Daily Value (DV) not established.

Other ingredients: lactose (milk),
cellulose, potato starch, magnesium
stearate, natural peppermint flavor.

©2014 Distributed by:
Enzymatic Therapy, LLC
Green Bay, WI 54311 USA
Questions? Call 1-800-783-2286
or visit remifemin.com

CAUTION: Consult a healthcare
professional prior to use if taking
prescription drugs, or if you have been
treated for breast cancer or any other
hormone-dependent cancer. Do not use
if pregnant or nursing. Discontinue use
and consult a healthcare professional
if you have a liver disorder or develop
symptoms of liver trouble, such as
abdominal pain, dark urine or jaundice.
For further instructions please read the
enclosed insert.

**ENZYMATIC
THERAPY™**



Remifemin®
contains the
black cohosh
extract used
in clinical
studies



Tablet size