

Final Cutz® has been designed to support the fat burning process while assisting with your focus, concentration and overall sense of clarity.\* The addition of Acetyl-L-Carnitine makes it possible for lipids to be more effectively transported into the cells to be used as an energy source.\* Additionally, the Lipid Oxidation Complex has been designed to assist in controlling the appetite, while supporting the metabolism.\* Combining Final Cutz® with a healthy diet and training regimen may support your energy levels and help you achieve

your weight loss goals.\*



**INFINITE LABS** 

# 45% EGCG), Caffeine Anhydrous (250mg), Irvingia on your calorie needs.

# Supplement Facts

Serving Size 2 Capsules Servings Per Container 50

Amount Pe	r Serving	% E
min B2 (as Riboflavin)	4 mg	118%
oin	35 mg	100%
min B6 (as Pyridoxine HC	10 mg	250%
ate (as Folic Acid)	400 mcg	50%
min B12 Cyanocobalamin)	100 mcg	833%

1606.2 mg

Lipid Oxidation & Focus Intensifier

Chromium Picolinate

†Daily Value (DV) not established.

Acetyl L-Camitine, Green Tea (75% Catechins and

Gabonensis (7% Albumins), Phenylethylamine HCI, Synephrine HCI, Tyramine HCI, Evodiamine, Sclareolide, N-Methyl-Phenylethylamine, Bioperine®,

\*\*Percent Daily Values (DV) are based on a 2,000 calorie diet. Your Daily Values (DV) may be higher or lower depending

Other Ingredients: Silicon Dioxide, Magnesium Stearate



100 CAPSULES

**DIETARY SUPPLEMENT** 

## BIOPERINE"

Bioperine® Is A Registered Trademark Of Sabinsa Corporation.

50





### DIRECTIONS

As a dietary supplement, adults take one serving (2) Capsules) in the morning on an empty stomach or as directed by a licensed physician. Do not exceed recommended dose within a 24 hour period. To avoid sleeplessness, do not take within 4 hours of bedtime

### WARNING:

recommended dosage. Do not use if vou are contemplating pregnancy, pregnan nursing, grone to dehydration, or exposed to excessive heat. Reduce of disconfinue use offisis analuct if sleeglessness, terrors, dizziness, nengusness headaches, or heart palpitations occur. This product is only intended for use by healthy adults 18 years of age or older. Discontinue use two weeks prior to surgery. Keep out of reach of children and pets. Store in a cool dry place away from direct surlight. Consumer is responsible and assumes all risks, liabilities, and consequences related to the use of this product, including compliance with the rules and regulations of all governing bodies or other entities having jurisdiction over any sport or athletic activity in which heishe participates, as well as any career regulations. WARNING Not intended for use by persons under age 18. Do not exceed recommended dose. Do not consume smechrine or caffeine from other sources, including but not limited to, coffee, tea, sod a and other dietan supplements or medications containing phenylephrine or caffeine. Contains caffeine. Do notuse for more than 8 weeks. Consult with your obsidian prior to use if you are pregnant or nursing, or if you are taking medication, including but not limited to MAOI irribitors, antidepressants, aspirin, nonsteroidal arti-inflammatory drups or groud ucts containing phylephrine, ephedine. oseudoechedrine, or other stimulants. Consult vour physician prior to use if you have a medical condition including but not limited to heart, liver kidney or thyroid disease psychiatric or epilentic disorders, difficulty urinating, diabetes, high blood pressure, cardiac arriv/hma, recurrent/head aches, enlarged prostate or glaucoma. Discontinue 2 weeks prior to surgery or if you experience rapidhe art beat dizzness severe headarhe or shortness of breath

