

EST EST EST EST EST EST EST EST EST EST EST EST EST EST EST

Supplement Facts

Serving Size: 6.1g
Servings Per Container: 30

	Amount per serving	%DV**
Vitamin D3	1000 IU	250%
Vitamin B3 (Niacin)	25 mg	125%
Vitamin B6 (as Pyridoxine HCl)	7.5 mg	441%
Folic Acid	200 mcg	175%
Sodium Phosphate	60 mg	--
Magnesium Phosphate	25 mg	--
Potassium Phosphate	12.5 g	--
E-Bolish Technology (Androsta-3,5 diene 7,17 Dione)	40 mg	--

METHYL MASS 2.0 COMPLEX 3938 mg

Creatine (Creatine Monohydrate & Creatine Glycerol Phosphate), Arginine Glycerate (Arginine Sulfate/Glycerol 1:1), Beta-alanine, Hydro Mass (Coconut Water, Sodium Phosphate, Magnesium Phosphate, Potassium Phosphate)

Neuro-Focus Complex

Caffeine, Acacia Rigidula (50%), Theacrine, Hordenine HCl, Capsicum

* Percent Daily Values are based on 2,000 calorie diet

** Daily Value not established

OTHER INGREDIENTS: Citric Acid, Natural and Artificial Flavor, Tartaric Acid, Silica, Sucralose, Acesulfame Potassium, Calcium Silicate, Blue Lake

SUGGESTED USE: As a dietary supplement, take scoop (1) once daily with 6-8 oz. of water or sports drink. DO NOT exceed recommended dose. Use only for a period of 30 days.

MANUFACTURED FOR:
Momentum Sports Group LLC
Eustis, FL 32726
855.GETEST.1

www.ESNutrition.com



183 g (6.45 oz)
Dietary Supplement

Blue Razz

MethylMass^{2.0}TM

DESIGNER PRE-WORKOUT FORMULA

- ▶ Induces Cell Volumization
- ▶ Designer Hydration
- ▶ Explosive Pumps & Vascular Response
- ▶ Increased Mental Focus & Energy

Warning: Not intended for use by persons under the age of 18. Do not exceed recommended dose. Do not consume caffeine from other sources, including but not limited to; coffee, tea, soda, and other dietary supplements or medications containing phenylephrine or caffeine. Methyl Mass 2.0TM contains caffeine and should not be taken by individuals wishing to eliminate this ingredient from their diet. Consult your physician prior to use if you are pregnant or nursing, or if you are taking medications. Consult your physician prior to use if you have a medical conditions. Discontinue two weeks prior to surgery or if you experience rapid heart beat, dizziness, severe headache, or shortness of breath. If you have difficulty sleeping, do not take after 4:00 PM. Healthy adults should cycle off this product after twelve weeks of use.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



*There are no typical results with use of this product.



Product Code: 354