

2 380 598

SALE TO PERSONS 17 YEARS OF AGE OR YOUNGER IS PROHIBITED.

WARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF YOU ARE PREGNANT OR NURSING. THIS PRODUCT CAN RAISE BLOOD PRESSURE AND INTERFERE WITH OTHER DRUGS YOU MAY BE TAKING. TALK TO YOUR DOCTOR ABOUT THIS PRODUCT.

STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATI ODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEA THIS PR

GA 30071 6015-B Unity Dr • Norcross, GA 30071 www.hitechpharma.com • 1.888.855.7919 Manufactured by: Hi-Tech Pharmaceuticals, Inc. Do not exceed 4 tablets daily.



tablets in the morning and 1 tablet after lunch. Dosage: Take 1-2

Stearate, Sodium Starch FD&C Yellow #5 Aluminum Other Ingredients: Dextrose, Microcrystalline Cellulose, Hydroxy Propyl Methylcellulose, Stearic Acid, Magnesium Glycolate, Starch, Triacetin, Titanium Dioxide, Lake, Silica, FD&C Yellow #6 Aluminum Lake

*Daily value not established

100mg Caffeine (Anhydrous)

Acacia Rigidula Extract (leaves)[Yielding 200mg Phenylethylamine sopropylnorsynephrine HCI, Hoodia Extract (cactus), Cassia Nomame Citrus Aurantium Extract (fruit), Theobromine, Green Tea Extract (45mg ECGC), Extract (plant), Naringen (fruit), 6,7 Dihydroxybergamottin (fruit), 5-Methoxytryptamine HCl, L-5-Hydroxytryptophan, Yohimbe Extract (bark) Alkaloids Including: R-Beta-Methylphenylethylamine, Methylsynephrine Proprietary blend with Thermo-Rx® and Extend-Rx™ Technology: 560mg N-Methyl-B-Phenylethylamine, Phenylethylamine],

% Daily Value **Amount Per Serving**

Servings Per Container: 90 Serving Size: 1 Tablet

Facts pplement 3

660

DIETARY SUPPLEMENT TECHNOLOGY! D ENERGY WEIG OLUTIONARY

> BLOOD PRESSURE, CARDIAC ARRHYTHMIA, RECURRENT HEADACHES, HEART, LIVER, KIDNEY, OR THYROID PERSON'S HEALTH. IMPROPER USE OF THIS PRODUCT M HEALTH EFFECTS, INCLUDING HEART ATTACK AND STROKE RECOMMENDED SERVING MAY CAUSE SERIOUS ADVERSE AVOID ALCOHOL WHILE TAKING THIS OR CONTACT A POISON CONTROL ACCIDENTAL OVERDOSE, SEEK PROFESSIONAL ASSISTANCE SEVERE HEADACHE OR SHORTNESS TO SURGERY OR IF YOU EXPERIENCE RAPID HEART BEAT, DIZZINESS, ENLARGED PROSTATE OR GLAUCOMA. DISCONTINUE 2 WEEKS PRIOR OR EPILEPTIC DISORDERS, DIFFICULTY URINATING, DIABETES, HIGH YOU HAVE A MEDICAL CONDITION, INCLUDING BUT NOT LIMITED TO, OTHER STIMULANTS. CONSULT YOUR PHYSICIAN PRIOR TO USE IF CONTAINING PHYLEPHRINE, EPHEDRINE, PSEUDOEPHEDRINE, OR NONSTEROIDAL ANTI-INFLAMMATORY LIMITED TO MAOI INHIBITORS, ASPIR PRIOR TO USE IF YOU ARE TAKING MEDICATION, INCLUDING BUT NOT MEDICATIONS CONTAINING CAFFEINE OR OR CAFFEINE FROM OTHER SOURCES, INCLUDING BUT NOT LIMITED BEFORE CONSUMING THIS PRODUCT. DO NOT CONSUME SYNEPHRINE CONSUMING THIS PRODUCT. INDIVIDUALS WHO ARE SENSITIVE WHO ARE SENSITIVE TO THE EFFECT. EXPERIENCE SERIOUS ADVERSE HEALT INDIVIDUALS WHO CONSUME CAFFEINE USE FOR MORE THAN 8 WEEKS. CONSULT WITH YOUR PHYSICIAN TO, COFFEE, CONSULT A LICENSED HEALTH CARE TO THE EFFECTS OF CAFFEINE SHOULD CONSULT A DOCTOR TEA, SODA OR OTHER DIETARY PRODUCTS OR CENTER IMMEDIATELY. OF BREATH. IN CASE OF PROFESSIONAL BEFORE S OF CAFFEINE SHOULD TH EFFECTS. INDIVIDUALS WITH THIS PRODUCT MAY AY BE HAZARDOUS TO A DISEASE, PSYCHIATRIC IN, ANTIDEPRESSANTS, PHENYLEPHRINE. DO NOT PRODUCT. EXCEEDING DRUGS OR PRODUCTS

0 REPORT ADVERSE MEDWATCH AT EFFECTS CALL 1-800-332-1088 **EFFECTS** FDA'S