



HI-TECH PHARMACEUTICALS

BENZEDRINE™
DIETARY SUPPLEMENT 555 MG

- STRONGEST DIET & ENERGY AID ON THE MARKET!†
- THE MOST INTENSE STIMULANT EVER PRODUCED!†
- ENHANCES NOREPINEPHRINE, DOPAMINE & SEROTONIN†

60 CT

Supplement Facts

Serving Size: 1 Tablet Servings Per Container: 60

Amount Per Serving	Daily Value %
Proprietary Blend with Acacia Rigidula 98% Extract (leaves) Yielding the Following Alkaloids as Thermo-Rx®: 255mg *	
Phenylethylamine, Methylsyneprhine, N-Methyl-Phenylethylamine, N-Benzyl-Alpha-Phenylethylamine *	
Proprietary blend: 100mg	
Theobromine, Alpha-Phenylethylamine HCl, Synephrine HCl, 5-Methoxytryptamine HCl, L-Tyrosine Ethyl Ester HCl, Yohimbe Extract (bark) *	
Caffeine (Anhydrous): 200mg	

* Daily value not established

Other Ingredients: Dextrose, Microcrystalline Cellulose, Stearic Acid, Magnesium Stearate, Sodium Starch Glucolate, Starch, Triacetin, Titanium Dioxide, FD&C Blue #2, FD&C Yellow #6, FD&C Red #40, Silica

Directions: Take 1-2 tablets in the morning and 1 tablet after lunch. Do not exceed 4 tablets daily. **Benzedrine™** is heat and moisture sensitive, and the bottle should remain sealed after using. Keep desiccant in the bottle to avoid moisture. **Store at room temperature 59° - 86°F** protected from moisture, heat, and light.

Manufactured by: Hi-Tech Pharmaceuticals, Inc.
6015-B Unity Drive • Norcross, GA 30071 • 1.888.855.7919

†THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

WARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF YOU ARE PREGNANT OR NURSING. THIS PRODUCT CAN RAISE BLOOD PRESSURE AND INTERFERE WITH OTHER DRUGS YOU MAY BE TAKING. TALK TO YOUR DOCTOR ABOUT THIS PRODUCT.

(WARNINGS/INFORMATION CONTINUED ON BACK OF LABEL) SALE TO PERSONS 17 YEARS OF AGE OR YOUNGER IS PROHIBITED.



8 57084 00021 2

Tamper Evident
Do Not Use If Printed Seal is Cut, Torn Or Missing
PEEL HERE

INDIVIDUALS WHO CONSUME CAFFEINE WITH THIS PRODUCT MAY EXPERIENCE SERIOUS ADVERSE HEALTH EFFECTS. INDIVIDUALS WHO ARE SENSITIVE TO THE EFFECTS OF CAFFEINE SHOULD CONSULT A LICENSED HEALTH CARE PROFESSIONAL BEFORE CONSUMING THIS PRODUCT. INDIVIDUALS WHO ARE SENSITIVE TO THE EFFECTS OF CAFFEINE SHOULD CONSULT A DOCTOR BEFORE CONSUMING THIS PRODUCT. DO NOT CONSUME SYNEPHRINE OR CAFFEINE FROM OTHER SOURCES, INCLUDING BUT NOT LIMITED TO, COFFEE, TEA, SODA OR OTHER DIETARY PRODUCTS OR MEDICATIONS CONTAINING CAFFEINE OR PHENYLEPHRINE. DO NOT USE FOR MORE THAN 8 WEEKS. CONSULT WITH YOUR PHYSICIAN PRIOR TO USE IF YOU ARE TAKING MEDICATION, INCLUDING BUT NOT LIMITED TO MAOI INHIBITORS, ASPIRIN, ANTIDEPRESSANTS, NONSTEROIDAL ANTI-INFLAMMATORY DRUGS OR PRODUCTS CONTAINING PHYLEPHRINE, EPHEDRINE, PSEUDOEPHEDRINE, OR OTHER STIMULANTS. CONSULT YOUR PHYSICIAN PRIOR TO USE IF YOU HAVE A MEDICAL CONDITION, INCLUDING BUT NOT LIMITED TO, HEART, LIVER, KIDNEY, OR THYROID DISEASE, PSYCHIATRIC OR EPILEPTIC DISORDERS, DIFFICULTY URINATING, DIABETES, HIGH BLOOD PRESSURE, CARDIAC ARRHYTHMIA, RECURRENT HEADACHES, ENLARGED PROSTATE OR GLAUCOMA. DISCONTINUE 2 WEEKS PRIOR TO SURGERY OR IF YOU EXPERIENCE RAPID HEART BEAT, DIZZINESS, SEVERE HEADACHE OR SHORTNESS OF BREATH. IN CASE OF ACCIDENTAL OVERDOSE, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. AVOID ALCOHOL WHILE TAKING THIS PRODUCT. EXCEEDING RECOMMENDED SERVING MAY CAUSE SERIOUS ADVERSE HEALTH EFFECTS, INCLUDING HEART ATTACK AND STROKE. IMPROPER USE OF THIS PRODUCT MAY BE HAZARDOUS TO A PERSON'S HEALTH.

**TO REPORT ADVERSE EFFECTS CALL FDA'S
MEDWATCH AT 1-800-332-1088**