Wobenzym[®] N

A Dietary Supplement

Suggested Usage: Take three (3) tablets, two (2) times daily, at least 45 minutes before meals or as recommended by your healthcare professional.

†This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Warning: If you are pregnant or breast feeding, suffer from bleeding disorders or liver damage, or if you are taking anticoagulants drugs (such as warfarin), consult a healthcare professional before using this product.

Store in a cool dry place.

This product does not contain yeast, gluten, soy, milk/dairy, sodium, sugar, artificial coloring or preservatives.

KEEP OUT OF REACH OF CHILDREN
DO NOT USE IF SEAL IS MISSING OR BROKEN

400 Tablets Enteric-Coated



Manufactured by: MUCOS Pharma GmbH & Co. KG, Made in Berlin, Germany.

Distributed by: Douglas Laboratories®,

Pittsburgh, USA
1-800-245-4440
www.douglaslabs.com



Supplement Facts

Serving Size 3 Tablets • Servings per Container 133

Amount F	Per Se	rving
----------	--------	-------

%DV

Pancreatin** 56,000 USP units protease (pancreas) Sus scrofa 300 mg

Papain** 492 FIP-units*** Carica papaya 180 mg Bromelain** 675 FIP-units Ananas comosus 135 mg

Bromelain** 675 FIP-units Ananas comosus 135 mg
Trypsin** 2.160 FIP-units (pancreas) Sus scrofa 72 mg

Chymotrypsin** 900 FIP-units 3 mg * (pancreas) Bos taurus

Rutoside trihydrate** (Rutin) Sophora japonica 150 mg

*Daily Value not established.

**From dried purified aqueous extracts.

***FIP is the measurement of enzyme activity according to the

methods of the International Pharmaceutical Federation.

Other ingredients: cellulose, vegetable-based enteric coating, vegetable stearate, natural vanilla flavor, purified water

Formula #200525-400



Wobenzym®N is backed by decades of clinical research