



Ultra Vite 75™ II

LOW ALLERGENICITY
Extra Potency Multiple Vitamins
with Amino Acid Chelated Minerals
Vegetable Protein Coated Tablets
A Dietary Supplement



**Douglas
Laboratories®**

60 Tablets

Supplement Facts

Serving Size 1 tablet • Servings Per Container 60

Amount Per Serving		%DV
Vitamin A (50% as Palmitate 15,000 IU 50% as Beta-Carotene [7,500 IU])		300%
Vitamin C (Ascorbic Acid)	250 mg	417%
Vitamin D-3	400 IU	100%
Vitamin E	150 IU	500%
Thiamine (Vitamin B-1)	75 mg	5,000%
Riboflavin (Vitamin B-2)	75 mg	4,412%
Niacinamide	75 mg	375%
Vitamin B-6	75 mg	3,750%
Folic Acid	400 mcg	100%
Vitamin B-12	75 mcg	1,250%
Pantothenic Acid (as Calcium Pantothenate)	75 mg	750%
Biotin	75 mcg	25%
Calcium (from Calcium AAC†)	50 mg	5%
Iron (from Iron AAC†)	10 mg	56%
Iodine	150 mcg	100%
Magnesium (from Magnesium AAC†)	7.7 mg	2%

Amount Per Serving		%DV
Zinc (from Zinc AAC†)	15 mg	100%
Selenium (from Selenium AAC†)	25 mcg	36%
Copper (from Copper AAC†)	0.25 mg	13%
Manganese (from Manganese AAC†)	6.1 mg	305%
Chromium (as GTF/Chromium AAC†)	10 mcg	8%
Potassium (from Potassium AAC†)	10 mg	<1%
Choline (from 75 mg Choline Bitartrate)	35 mg	*
Inositol	75 mg	*
PABA (para-Aminobenzoic Acid)	75 mg	*
Rutin	25 mg	*
Citrus Bioflavonoid Complex	25 mg	*
Betaine (from 25 mg Betaine HCl)	19 mg	*
Glutamic Acid	25 mg	*
Hesperidin Complex	5 mg	*

*Daily Value not established.

†AAC = Amino Acid Chelate

Other ingredients: Cellulose, alfalfa, vegetable stearate and silica.

Manufactured in the USA by: **Douglas Laboratories**
600 Boyce Road • Pittsburgh, PA 15205 USA
www.douglaslabs.com

This product contains NO yeast, wheat gluten, soy protein, milk/dairy, corn, sodium, sugar, starch, artificial coloring, preservatives or flavoring.

Suggested Usage:

As a dietary supplement, adults take 1 tablet daily or as directed by your healthcare professional.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

For optimal storage conditions, store in a cool, dry place. (59°-77°F/15°-25°C) (35-65% relative humidity) Tamper resistant package, do not use if outer seal is missing.



Formula #7921-60HA