Manufactured for: EnergyFirst 1140 Highland Ave., Ste. 100 Manhattan Beach, CA 90266 www.energyfirst.com

Amount Per Serving	% Daily Va	l
Ingelol Lympis Ly	100 mg 50 mg 50 mg 10 mg 100 mg 30 mg 3 mg 155 mg 100 mg 100 mg 50 mg 50 mg 9 mca	

Other Ingredients: Cellulose, stearic acid (vegetable source), modified cellulose gum, silica, magnesium stearate (vegetable source), beet root fiber, cinnamon oil, divoerin.

Lutemax™ 2020 trademark belongs to OmniActive Health Technologies Ltd.

To report a serious adverse event, call 1-888-710-0006





180 TABLETS

DIETARY SUPPLEMENT

Supplement Facts

Servings Per Container 60

Amount Per Serving	%	Daily Value
Vitamin A (as beta-carotene)		
Vitamin C (as calcium ascorbate)		
Vitamin D3 (as cholecalciferol)		
Vitamin E (d-alpha tocopheryl succinate)		
Vitamin K (phytonadione)	50 mcg	63%
Thiamin (thiamin hydrochloride)	25 mg	1667%
Riboflavin	25 mg	1471%
Niacin (niacinamide, nicotinic acid)	75 mg	375%
Vitamin B6 (pyridoxine HCI)	75 mg	3750%
Folic Acid	00 mca	200%
Vitamin B12 (cobalamin)	00 mca	1667%
Biotin 6	00 mca	200%
Pantothenic acid (d-calcium pantothenate)	200 ma	2000%
Calcium (from calcium citrate)	200 ma	20%
Iron (from ferrous fumarate)	.18 ma	100%
lodine (from potassium iodide and kelp)		
Magnesium (from magnesium oxide.		
amino acid chelate, glycinate)	400 ma	100%
Zinc (from zinc oxide)		
Selenium (from selenomethionine)	00 mca	143%
Copper (from copper gluconate)		
Manganese (from manganous gluconate)		
Chromium (from chromium polynicotinate) 1:		
Molybdenum (from sodium molybdate)		

SUGGESTED USE: Take three (3) tablets daily with food CONTAINS NO artificial colors, flavors or

preservatives; no wheat, gluten, milk, eggs, peanuts, tree nuts, crustacean shellfish or fish,

Keep out of reach of children. Store in a cool, dry place. Do not use this product if the safety seal on the bottle is broken.

tt This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat. cure or prevent any disease.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison center immediately.

Made in the USA

VI 517-180G