

Scan for
product info

Read the entire label and follow the directions carefully prior to use.

DIRECTIONS: The exact number of tablets to be taken should be determined by blood testing and the advice of a physician. Generally, place one (1) to three (3) tablets under the tongue, allow to dissolve and swallow. Take in the morning and/or afternoon. DHEA serum blood tests are suggested prior to and 3 to 6 weeks after initiating DHEA replacement therapy to optimize individual dosing. This product can be taken with or without food.

WARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF PREGNANT OR NURSING. Consult a physician or licensed qualified health care professional before using this product if you have, or have a family history of breast cancer, prostate cancer, prostate enlargement, heart disease, low "good" cholesterol (HDL), or if you are using any other dietary supplement, prescription drug, or over-the-counter drug. Do not exceed recommended serving. Exceeding recommended serving may cause serious adverse health effects. Possible side effects include acne, hair loss, hair growth on the face (in women), aggressiveness, irritability, and increased levels of estrogen. Discontinue use and call a physician or licensed qualified health care professional immediately if you experience rapid heartbeat, dizziness, blurred vision, or other similar symptoms. **KEEP OUT OF REACH OF CHILDREN.** Do not purchase if outer seal is broken or damaged.



Q00607F

LifeExtension®

DHEA

25 mg



Promotes Optimal Hormone Levels*

Dietary
Supplement

100 Dissolve in
Mouth Tablets

Supplement Facts

Serving Size 1 Tablet

Amount Per Serving	% Daily Value
Dehydroepiandrosterone (DHEA)	25 mg **

**Daily Value not established.

Other ingredients: sorbitol, microcrystalline cellulose, croscarmellose sodium, vegetable stearate.

Manufactured for:
Quality Supplements and Vitamins, Inc.
Ft. Lauderdale, Florida 33309
info@lifeextension.com • www.lef.org
To report any adverse events call 1-800-332-1088.

Store tightly closed in a cool, dry place.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.