Room Temperature Stable Travel Friendly Blister Cards









SACCHAROMYCES BOULARDII+MOS

TRAVEL

Provides Enhanced Support to the Intestinal Tract*

30 VEGETARIAN CAPSULES PROBIOTIC SUPPLEMENT

Lot #. Best Used Before:

© 2011 Jakrow Formulas®



Superior Nutrition and Formulation^{5th} P.O. Box 35994 Los Angeles, CA 90035-4317 **www.lotrom.com** SAJUMROH FORMULAS®



ROOM TEMPERATURE STABLE™

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

The state of th

Keep out of the reach of children.

Bio-MOS" is a registered trademark of Alltech®.

No wheat, no gluten, no soybeans, no dairy, no egg, no fish/shellfish, no peanuts/tree nuts. Other Ingredients: Maltodextrin, magnesium stearate (vegetable source), silicon dioxide and vitamin C. Capsule consists of hydroxypropylmethylcellulose. † 5 billion organisms at time of consumption, under recommended stora and within best used by date. The Hearth is time of the consumer of the constitution of the cons

* Daily Value not established. 200 mg Bio-MOS® Amount Per Serving tamsinsground Berving 3 Saccharomyces boulardii (a subspecies of S.cerevisiae) Servings Per Container 30

Supplement Facts

SACCHRADMYCCS BOULARDII+MOS does not require refrigeration and can be stored at room temperatures above 77°F (25°C).

SACCHAROMYCES BOULDARDIT-MOS is a problotic yeast that survives stomach acid and colonizes the intestinal tract." It promotes the health of the intestinal tract." It promotes the health of the intestinal tract. WOS and enhances immune function. WOS (MannanOligoSacchardes) is an oligosaccharde from the cell walls of S.cerevisiae that can discourage bacteria from adhering to the epithelial cells and reduce the properties of the properties of S.cerevisiae and the colonized particles of S.cerevisiae that can discourage bacteria from adhering to the epithelial cells and reduce the colonized particles.

USAGE: Take 1 capsule 1 or 2 times per day with water or juice. Or take as directed by your qualified health care consultant. May be taken with food or on an empty stomsch. For children, please consult your health care professional.