Warning: Do not use this product if you are pregnant, nursing, attempting to become pregnant or under the age of 12 Do not use when abdominal pain, nauses or vomiting are present. Do not exceed the recommended dose, or take longer than the recommended period as frequent or prolonged use may result in dependence. Consult your healthcare professional if you notice a sudden change in bowel habits that persist over two weeks. Rectal bleeding or failure to move bowels after use may indicate a serious condition. Discontinue use and consult your healthcare professional. This product contains slippery elm, and should not be taken with prescription drugs as at may interfere with their absorption. If you are nursing or have diabetes, consult your healthcare professional prior to use.

For more information, please visit integrative process.

Contains no sugar, yeast, wheat, gluten, dairy products, artificial colors, flavors, preservatives or ingredients of animal origin.

©2016 INTEGRATIVE THERAPEUTICS, LLC GREEN BAY, WI 54311 USA integrative pro.com • 800.931.1709

♦ LZ78967.A03 BLK896A





LAXATIVE FORMULA

35 TABLETS

DIETARY SUPPLEMENT

Supplement Facts

Serving Size 3 tablets	Servings per container	11
Amount per 3 tablets	%	D۷
Calories	10	_
Total Carbohydrate	1 g <1	<u>%</u> †
Dietary Fiber	1g 4	%†
Sodium	10 mg <1	%†
Magnesium Hydroxide	2.6 g	**
Proprietary Mucilage Blend: marshmallow (Altha officinalis) root extract, slippery elm (Ulmus ru and fenugreek (Trigonella foenum-graecum) se	bra) bark	**
Burdock (Arctium lappa) Root Extract	300 mg	**
Proprietary Soothing Blend: fennel (Foeniculum v seed, ginger (Zingiber officinale) rhizome extra and peppermint (Mentha x piperita) leaf	rulgare) 150 mg ct	**

**Daily Value not established.

Other ingredients: cellulose, stearic acid, sodium carboxymethyl cellulose, hydroxypropyl methylcellulose, magnesium stearate, glycerin, silicon dioxide, soy lecithin

100 ma

Red Clover (Trifolium pratense) Blossom Extract

Contains sow

†Percent Daily Values (DV) are based on a 2,000 calorie diet.

Recommendation: Day 1 through day 7: Take 3 tablets at bedtime with 8 ounces of water. Day 8 through day 14: Take 2 tablets at bedtime with 8 ounces of water, or as recommended by your healthcare professional. Reduce dosage if you experience abdominal discomfort or diarrhea. If discomfort mersists, discontinue use.