

Scan for
product info

Read the entire label and follow the directions carefully prior to use.

DIRECTIONS: The exact number of capsules to be taken should be determined by blood testing and the advice of a physician. For optimal results, take one (1) to two (2) capsules in the morning. DHEA serum blood tests are suggested 3 to 6 weeks after initiating DHEA replacement therapy to optimize individual dosing.

WARNINGS: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF PREGNANT OR NURSING. Consult a physician or licensed qualified health care professional before using this product if you have, or have a family history of breast cancer, prostate cancer, prostate enlargement, heart disease, low "good" cholesterol (HDL), or if you are using any other dietary supplement, prescription drug, or over-the-counter drug. Do not exceed recommended serving. Exceeding recommended serving may cause serious adverse health effects. Possible side effects include acne, hair loss, hair growth on the face (in women), aggressiveness, irritability, and increased levels of estrogen. Discontinue use and call a physician or licensed qualified health care professional immediately if you experience rapid heartbeat, dizziness, blurred vision, or other similar symptoms. KEEP OUT OF REACH OF CHILDREN. Do not purchase if outer seal is broken or damaged.



Q00882F

LifeExtension®

DHEA

dehydroepiandrosterone
50 mg



Promotes Optimal Hormone Levels*

Dietary
Supplement

60 Capsules

Supplement Facts

Serving Size 1 Capsule

Amount Per Serving	% Daily Value
--------------------	---------------

Dehydroepiandrosterone (DHEA)	50 mg**
-------------------------------	---------

**Daily Value not established.

Other ingredients: microcrystalline cellulose, gelatin, silica.

Manufactured for:
Quality Supplements and Vitamins, Inc.
Ft. Lauderdale, Florida 33309
info@lifeextension.com • www.lef.org
To report any adverse events call 1-800-332-1088.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Store tightly closed in a cool, dry place.